Datasheet for ABIN3089631

ATP5B Protein (AA 48-529) (His tag)

Go to Product page

1 Image

Overview

Quantity:	1 mg
Target:	ATP5B
Protein Characteristics:	AA 48-529
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATP5B protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:	AQTSPSPKAG AATGRIVAVI GAVVDVQFDE GLPPILNALE VQGRETRLVL EVAQHLGEST VRTIAMDGTE GLVRGQKVLD SGAPIKIPVG PETLGRIMNV IGEPIDERGP IKTKQFAPIH AEAPEFMEMS VEQEILVTGI KVVDLLAPYA KGGKIGLFGG AGVGKTVLIM ELINNVAKAH GGYSVFAGVG ERTREGNDLY HEMIESGVIN LKDATSKVAL VYGQMNEPPG ARARVALTGL TVAEYFRDQE GQDVLLFIDN IFRFTQAGSE VSALLGRIPS AVGYQPTLAT DMGTMQERIT TTKKGSITSV QAIYVPADDL TDPAPATTFA HLDATTVLSR AIAELGIYPA VDPLDSTSRI MDPNIVGSEH YDVARGVQKI LQDYKSLQDI IAILGMDELS EEDKLTVSRA RKIQRFLSQP FQVAEVFTGH MGKLVPLKET IKGFQQILAG EYDHLPEQAF YMVGPIEEAV AKADKLAEEH SS **Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**
Characteristics:	• Made in Germany - from design to production - by highly experienced protein experts. • Human ATP5B Protein (raised in E. Coli) purified by multi-step, protein-specific process to

Product Details

ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in bacterial culture: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Grade:	Crystallography grade

Target Details

Target:	ATP5B
Alternative Name:	ATP5B (ATP5B Products)

Target Details

Background:	Mitochondrial membrane ATP synthase (F(1)F(0) ATP synthase or Complex V) produces ATP from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain. F-type ATPases consist of two structural domains, F(1) - containing the extramembraneous catalytic core, and F(0) - containing the membrane proton channel, linked together by a central stalk and a peripheral stalk. During catalysis, ATP synthesis in the catalytic domain of F(1) is coupled via a rotary mechanism of the central stalk subunits to proton translocation. Subunits alpha and beta form the catalytic core in F(1). Rotation of the central stalk against the surrounding alpha(3)beta(3) subunits leads to hydrolysis of ATP in three separate catalytic sites on the beta subunits.
Molecular Weight:	52.7 kDa Including tag.
UniProt:	P06576
Pathways:	Proton Transport, Ribonucleoside Biosynthetic Process

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Image 1. „Crystallography Grade" protein due to multi-step, protein-specific purification process

