



[Go to Product page](#)

Datasheet for ABIN3135508

## TRIM27 Protein (AA 1-513) (His tag)

### 1 Image

#### Overview

Quantity:	1 mg
Target:	TRIM27
Protein Characteristics:	AA 1-513
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRIM27 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys), ELISA

#### Product Details

Sequence: MASGSVAECL QQETTCPVCL QYFVEPMMLD CGHNICCACL ARCWGAAETN VSCPQCRETF  
PQRHMRPNRH LANVTQLVKQ LRTERPSGPG GEMGVCEKHR EPLKLYCEQD QMPICVVCDR  
SREHRGHSVL PLEEAVEGFK EQIQNRDLHL RRVKDLKKRR RAQGEQARAE LLSLTQMERE  
KIVWEFEQLY HSLKEHEYRL LARLEELDLA IYNSINGAIT QFSCNISHLS GLIAQLEEKQ  
QQPTRELLQD IGDTLRAER IRIPEPWITP PDLQEKIHF AQKCLFLTES LKQFTEKMQS  
DMEKIQLRE AQLYSVDVTL DPDTAYPSLI LSDNLRQVRY SYLQQDLDPDN PERFNLFPCV  
LGSPCFIAGR HYWEVEVGDK AKWTIGVCED SVCRKGGVTS APQNGFWAVS LWYGKEYWAL  
TSPMTALPLR TPLQRVGIFL DYDAGEVSFY NVTERCHTFT FSHATFCGPV RPYFSLSSYG  
GKSAAPLIIC PMSGIDGFSG HVGNHGHSME TSP

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

## Product Details

---

- Characteristics:
- Made in Germany - from design to production - by highly experienced protein experts.
  - Mouse Trim27 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
  - State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

- 
- Purification:
- Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
  2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

---

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

---

Sterility: 0.22 µm filtered

---

Endotoxin Level: Protein is endotoxin free.

---

Grade: Crystallography grade

## Target Details

---

Target:	TRIM27
Alternative Name:	Trim27 ( <a href="#">TRIM27 Products</a> )
Background:	E3 ubiquitin-protein ligase that mediates ubiquitination of PIK3C2B and inhibits its activity, mediates the formation of 'Lys-48'-linked polyubiquitin chains, the function inhibits CD4 T-cell activation. Acts as a regulator of retrograde transport: together with MAGEL2, mediates the formation of 'Lys-63'-linked polyubiquitin chains at 'Lys-220' of WASH1, leading to promote endosomal F-actin assembly. Has a transcriptional repressor activity. Induces apoptosis by activating Jun N-terminal kinase and p38 kinase and also increases caspase-3-like activity independently of mitochondrial events. May function in male germ cell development. Has DNA-binding activity and preferentially bound to double-stranded DNA (By similarity). {ECO:0000250}.
Molecular Weight:	59.5 kDa Including tag.
UniProt:	<a href="#">Q62158</a>

## Application Details

---

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Buffer:	100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process