Datasheet for ABIN526343

anti-NSDHL antibody (AA 1-373)

2 Images

Go to Product page

Overview

Quantity:	50 µg
Target:	NSDHL
Binding Specificity:	AA 1-373
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	This NSDHL antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human NSDHL protein.
Immunogen:	NSDHL (NP_057006.1, 1 a.a. ~ 373 a.a) full-length human protein.
Sequence:	MEPAVSEPMR DQVARTHLTE DTPKVNADIE KVNQNQAKRC TVIGGSGFLG QHMVEQLLAR GYAVNVFDIQ QGFDNPQVRF FLGDLCSRQD LYPALKGVNT VFHCASPPPS SNNKELFYRV NYIGTKNVIE TCKEAGVQKL ILTSSASVIF EGVDIKNGTE DLPYAMKPID YYTETKILQE RAVLGANDPE KNFLTTAIRP HGIFGPRDPQ LVPILIEAAR NGKMKFVIGN GKNLVDFTFV ENVVHGHILA AEQLSRDSTL GGKAFHITND EPIPFWTFLS RILTGLNYEA PKYHIPYWVA YYLALLLSLL VMVISPVIQL QPTFTPMRVA LAGTFHYYSC ERAKKAMGYQ PLVTMDDAME RTVQSFRHLR RVK
Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

Target Details

Target:	NSDHL
Alternative Name:	NSDHL (NSDHL Products)
Background:	Full Gene Name: NAD(P) dependent steroid dehydrogenase-like Synonyms: H105E3,SDR31E1,XAP104
Gene ID:	50814
NCBI Accession:	NM_015922

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Images



Western Blotting

Image 1. Western Blot analysis of NSDHL expression in transfected 293T cell line by NSDHL MaxPab polyclonal antibody.

Lane 1: NSDHL transfected lysate(41.03 KDa).

Lane 2: Non-transfected lysate.



Western Blotting

Image 2. NSDHL MaxPab polyclonal antibody. Western Blot analysis of NSDHL expression in human liver.