Datasheet for ABIN6735827

anti-ZNF385A antibody (AA 256-305)

2 Images

Go to Product page

Overview

Quantity:	100 µL
Target:	ZNF385A
Binding Specificity:	AA 256-305
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Horse, Zebrafish (Danio rerio), Rabbit, Bat, Hamster, Monkey, Pig, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF385A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Synthetic peptide located between aa256-305 of human ZNF385A (Q96PM9, NP_056296). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Bovine, Bat, Rabbit, Horse, Pig, Guinea pig, Xenopus, Zebrafish (100%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human ZNF385A / ZNF385
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Bovine, Rabbit, Horse, Pig, Guinea pig, Zebrafish

Product Details

	(100%).
Purification:	Immunoaffinity purified

Target Details

Target:	ZNF385A
Alternative Name:	ZNF385A / ZNF385 (ZNF385A Products)
Background:	Name/Gene ID: ZNF385A Family: Zinc Finger Synonyms: ZNF385A, HZF, Zinc finger protein 385, Zinc finger protein 385A, ZFP385, ZNF385, Retinal zinc finger protein, RZF
Gene ID:	25946
NCBI Accession:	NP_056296
UniProt:	Q96PM9
Pathways:	Positive Regulation of Response to DNA Damage Stimulus, Negative Regulation of intrinsic apoptotic Signaling, Positive Regulation of fat Cell Differentiation

Application Details

Application Notes:	Approved: IHC, IHC-P, WB (0.2 - 1 µg/mL)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	After adding water, will consist of PBS buffer with 2 % sucrose
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C

Handling

Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.



Image 2.

Copyright antibodies-online. All rights reserved.